FREE

PIPADOR REVISION

MRCOG Part 3

OSCE STATIONS

FREE CHECKLIST

Station Bank List

Every station in the PIPADOR bank, by knowledge area

382
STATIONS

243
SIMULATED PATIENT TASKS

139
STRUCTURED DISCUSSION TASKS

2026 Edition

© PIPADOR.co.uk

How to use this list

This is a checklist of all 382 stations in the PIPADOR MRCOG Part 3 Station Bank, grouped by knowledge area. Use it to plan your practice, track your progress and find your gaps before the exam.

14	12 min	2	5
tasks in the exam, one per module	per task, including 2 min reading	task types: SPT and SDT	skill domains assessed

Five steps

1. **Spread your practice.** Cover every knowledge area, not just your favourites.
2. **Mix task types.** Alternate SPT (patient or colleague role-play) and SDT (discussion with an examiner).
3. **Practise in real time.** Work in pairs or threes: 2 minutes reading, then 10 minutes on the task.
4. **Tick as you go.** Tick *Practised* after your first attempt and *Confident* once you would pass it in the exam.
5. **Close the gaps.** Go back to any station not yet ticked *Confident*, starting with your weakest areas.

SPT Simulated Patient Task SDT Structured Discussion Task FREE SAMPLE In the free sample e-Book ☐ Tick box

Start with the free sample. 28 stations marked FREE SAMPLE are available in full in our free sample e-Book: one SPT and one SDT from each knowledge area. Download it at **PIPADOR.co.uk**.

Knowledge areas at a glance

KA	KNOWLEDGE AREA	STATIONS	SPT	SDT	CONFIDENT
2	Teaching and Research	21	13	8	____ / 21
3	Core Surgical Skills	20	12	8	____ / 20
4	Postoperative Care	31	16	15	____ / 31
5	Antenatal Care	55	38	17	____ / 55
6	Maternal Medicine	32	20	12	____ / 32
7	Management of Labour	35	20	15	____ / 35
8	Management of Delivery	21	13	8	____ / 21
9	Postpartum Problems	19	11	8	____ / 19
10	Gynaecological Problems	33	24	9	____ / 33
11	Subfertility	19	12	7	____ / 19
12	Sexual and Reproductive Health	40	28	12	____ / 40
13	Early Pregnancy Care	19	13	6	____ / 19
14	Gynaecological Oncology	18	12	6	____ / 18
15	Urogynaecology and Pelvic Floor Problems	19	11	8	____ / 19
	Total	**382**	**243**	**139**	**____ / 382**

© PIPADOR Revision · Free resource

KNOWLEDGE AREA 2 Teaching and Research

21 stations

NO.	STATION	TYPE	PRACTISED	CONFIDENT
2.01	Audit, Research or Service Evaluation?	SDT	☐	☐
2.02	Complaint: Intimate Examination by Students under Anaesthesia	SPT	☐	☐
2.03	Concern about a Colleague: Smell of Alcohol on Shift	SPT	☐	☐
2.04	Consent for a Research Trial in Early Labour	SPT	☐	☐
2.05	Consent for Post-mortem Examination after a Neonatal Death	SPT	☐	☐
2.06	Critical Appraisal of a Randomised Trial Abstract FREE SAMPLE	SDT	☐	☐
2.07	Delivering a Short Teaching Session: CTG Classification	SPT	☐	☐
2.08	Diagnostic Test Statistics: a New Preterm Birth Test	SDT	☐	☐
2.09	Educational Supervision: a Trainee Not Progressing	SPT	☐	☐
2.10	Explaining Risk with Numbers: "HRT Doubles Breast Cancer Risk" FREE SAMPLE	SPT	☐	☐
2.11	Feedback after a Difficult Assisted Birth	SPT	☐	☐
2.12	Human Factors and Risk Management	SDT	☐	☐
2.13	Planning a Research Project	SDT	☐	☐
2.14	Quality Improvement: Reducing Decision-to-Birth Delays	SDT	☐	☐
2.15	Raising Concerns: a Student Midwife Reports Undermining Behaviour	SPT	☐	☐
2.16	Request for Sterilisation in a Woman with a Learning Disability	SPT	☐	☐
2.17	Teaching a Colleague to Interpret a Forest Plot	SPT	☐	☐
2.18	Teaching a Practical Skill: Second-degree Perineal Repair	SPT	☐	☐
2.19	Teaching Speculum Examination to a Medical Student	SPT	☐	☐
2.20	The Audit Cycle: VTE Risk Assessment	SDT	☐	☐
2.21	Writing and Implementing a Local Clinical Guideline	SDT	☐	☐

KNOWLEDGE AREA 3 Core Surgical Skills

20 stations

NO.	STATION	TYPE	PRACTISED	CONFIDENT
3.01	A 16-year-old with a Large Ovarian Cyst: Consent and Fertility	SPT	☐	☐
3.02	Bowel Injury Recognised on Day 2 after Laparoscopy	SPT	☐	☐
3.03	Complaint: Foot Drop after Prolonged Lithotomy FREE SAMPLE	SPT	☐	☐
3.04	Complications of Operative Hysteroscopy	SDT	☐	☐

© PIPADOR Revision · Free resource

NO.	STATION	TYPE	PRACTISED	CONFIDENT
3.05	Consent for Laparoscopy after Previous Midline Laparotomy	SPT	☐	☐
3.06	Consent for Open Myomectomy	SPT	☐	☐
3.07	Consent for Outpatient Hysteroscopic Polypectomy	SPT	☐	☐
3.08	Consent for Vaginal Hysterectomy and Anterior Repair	SPT	☐	☐
3.09	Diathermy Skin Burn after Laparoscopy	SPT	☐	☐
3.10	Electrosurgery and Energy Sources	SDT	☐	☐
3.11	Emergency Consent for Ruptured Ectopic Pregnancy	SPT	☐	☐
3.12	Intraoperative Haemorrhage at Hysterectomy	SDT	☐	☐
3.13	Laparoscopic Entry and Its Complications FREE SAMPLE	SDT	☐	☐
3.14	Pre-operative Optimisation before Hysterectomy	SPT	☐	☐
3.15	Risk-reducing Salpingo-oophorectomy in a BRCA1 Carrier	SPT	☐	☐
3.16	Surgical Instruments and Sutures	SDT	☐	☐
3.17	Surgical Safety: WHO Checklist, NatSSIPs 2 and LocSSIPs	SDT	☐	☐
3.18	Surgical Site Infection and Infection Control	SDT	☐	☐
3.19	Teaching Surgical Knots and Suture Choice	SPT	☐	☐
3.20	Unexpected Findings at Surgery	SDT	☐	☐

KNOWLEDGE AREA 4 Postoperative Care

31 stations

NO.	STATION	TYPE	PRACTISED	CONFIDENT
4.01	BRCA1 Risk-Reducing BSO: Day-1 Ward Round	SPT	☐	☐
4.02	Continuous Leakage after Hysterectomy: Vesicovaginal Fistula	SPT	☐	☐
4.03	Delayed Bowel Injury after Laparoscopic Endometriosis Surgery	SDT	☐	☐
4.04	Discharge Planning after Laparoscopic Hysterectomy	SPT	☐	☐
4.05	Enhanced Recovery after Gynaecological Surgery	SDT	☐	☐
4.06	Escalating a Deteriorating Postoperative Patient to Critical Care	SPT	☐	☐
4.07	Learning from a Postoperative Death	SDT	☐	☐
4.08	MRSA Wound Infection and Pelvic Abscess after TAH	SDT	☐	☐
4.09	Ogilvie Syndrome after Caesarean Section	SDT	☐	☐
4.10	Oliguria after Hysterectomy	SDT	☐	☐
4.11	Persistent Groin Pain after Pfannenstiel Incision	SPT	☐	☐

© PIPADOR Revision · Free resource

NO.	STATION	TYPE	PRACTISED	CONFIDENT
4.12	Port-Site Hernia after Laparoscopic Ovarian Cystectomy	SDT	☐	☐
4.13	Post-ITU Debrief: Hysteroscopic Fluid Overload FREE SAMPLE	SPT	☐	☐
4.14	Post-Operative Sepsis after TAH and BSO	SDT	☐	☐
4.15	Postoperative Anaemia: Transfusion or IV Iron?	SPT	☐	☐
4.16	Postoperative Delirium in an Older Woman	SPT	☐	☐
4.17	Postoperative Fluids and Electrolytes	SDT	☐	☐
4.18	Postoperative Pain Management and Opioid Safety	SDT	☐	☐
4.19	Postoperative Venous Thromboembolism	SDT	☐	☐
4.20	Pre-Operative ERAS Counselling for Hysterectomy	SPT	☐	☐
4.21	Return to Theatre for Haemorrhage: Debrief and Candour	SPT	☐	☐
4.22	Serious Wound Complications	SDT	☐	☐
4.23	Telephone Triage on Day 2 after Day-case Laparoscopy	SPT	☐	☐
4.24	The Deteriorating Patient on Day 1 after Laparotomy	SDT	☐	☐
4.25	Unexpected Leiomyosarcoma after Hysterectomy for "Fibroids"	SPT	☐	☐
4.26	Ureteric Injury after Difficult TAH and BSO FREE SAMPLE	SDT	☐	☐
4.27	Uterine Perforation at Hysteroscopy: Duty of Candour	SPT	☐	☐
4.28	Vaginal Bleeding on Day 10 after Hysterectomy	SPT	☐	☐
4.29	Vomiting and Distension on Day 4 after Laparotomy	SPT	☐	☐
4.30	Wound Dehiscence on Day 7 after Laparotomy	SPT	☐	☐
4.31	Wound Infection after Caesarean Section	SDT	☐	☐

KNOWLEDGE AREA 5 Antenatal Care

55 stations

NO.	STATION	TYPE	PRACTISED	CONFIDENT
5.01	Anencephaly: Continuing the Pregnancy with Perinatal Palliative Care	SPT	☐	☐
5.02	Antenatal Screening Incident: Unactioned Higher-chance Result	SDT	☐	☐
5.03	Anti-D Antibody Detected at 28 Weeks FREE SAMPLE	SDT	☐	☐
5.04	Anti-K (Kell) Antibodies Detected at Booking	SPT	☐	☐
5.05	Bilateral Renal Agenesis at the Anomaly Scan	SPT	☐	☐
5.06	BMI 16 at Booking: Undisclosed Eating Disorder	SPT	☐	☐
5.07	BMI 53 and Chronic Hypertension at 16 Weeks	SPT	☐	☐

© PIPADOR Revision · Free resource

NO.	STATION	TYPE	PRACTISED	CONFIDENT
5.08	Booking after a Previous Stillbirth	SPT	☐	☐
5.09	Both Parents Carry a Haemoglobin Disorder Trait	SPT	☐	☐
5.10	Breech Presentation at 36 Weeks: External Cephalic Version	SDT	☐	☐
5.11	Chickenpox at 15 Weeks of Pregnancy	SPT	☐	☐
5.12	Cleft Lip on the Anomaly Scan	SPT	☐	☐
5.13	Concealed Pregnancy Booking at 27 Weeks Aged 16	SPT	☐	☐
5.14	Congenital Diaphragmatic Hernia at 22 Weeks	SDT	☐	☐
5.15	Declining Induction of Labour at 42 Weeks	SPT	☐	☐
5.16	Dichorionic Triamniotic (DCTA) Triplets at 12 Weeks	SPT	☐	☐
5.17	Exomphalos at the 12-Week Scan	SPT	☐	☐
5.18	Fetal Hydrops at 22 Weeks	SDT	☐	☐
5.19	Fetal Supraventricular Tachycardia at 30 Weeks	SDT	☐	☐
5.20	Frank Breech at 36 Weeks in a Parous Woman	SPT	☐	☐
5.21	Gastroschisis at the 12-Week Scan	SPT	☐	☐
5.22	Higher-Chance NIPT Result for Trisomy 13	SPT	☐	☐
5.23	Higher-Chance NIPT Result for Trisomy 21	SPT	☐	☐
5.24	Hypoplastic Left Heart at the 20-Week Scan	SPT	☐	☐
5.25	Intrauterine Fetal Death at 39 Weeks	SPT	☐	☐
5.26	Low PAPP-A and Echogenic Bowel	SPT	☐	☐
5.27	Maternal Balanced Translocation: Prenatal Testing	SDT	☐	☐
5.28	Measles Contact at 20 Weeks	SPT	☐	☐
5.29	Mode of Birth after a Previous Fourth-degree Tear	SPT	☐	☐
5.30	Mode of Birth for Uncomplicated DCDA Twins	SPT	☐	☐
5.31	Open Spina Bifida at the 20-Week Anomaly Scan	SPT	☐	☐
5.32	Parvovirus B19 Infection at 18 Weeks	SDT	☐	☐
5.33	Planning Birth for a Jehovah's Witness Who Declines Blood	SDT	☐	☐
5.34	Preterm Prelabour Rupture of Membranes at 35 Weeks in a GBS Carrier	SPT	☐	☐
5.35	Previable Prelabour Rupture of Membranes at 18 Weeks	SDT	☐	☐
5.36	Primary Cytomegalovirus (CMV) Infection at 10 Weeks FREE SAMPLE	SPT	☐	☐
5.37	Private NIPT Result Suggesting Turner Syndrome	SPT	☐	☐

© PIPADOR Revision · Free resource

NO.	STATION	TYPE	PRACTISED	CONFIDENT
5.38	Rapid Prenatal Exome Sequencing (R21)	SDT	☐	☐
5.39	Reactive Syphilis Serology at Booking	SPT	☐	☐
5.40	Reduced Fetal Movements and Saving Babies' Lives	SDT	☐	☐
5.41	Request for a Home Birth after Caesarean	SPT	☐	☐
5.42	Request for Caesarean Section because of Fear of Childbirth	SPT	☐	☐
5.43	Selective Fetal Growth Restriction in Monochorionic Twins	SDT	☐	☐
5.44	Septated Cystic Hygroma (NT 6 mm) at the 12-Week Scan	SPT	☐	☐
5.45	Severe Early-Onset Growth Restriction and Pre-eclampsia at 23 Weeks	SPT	☐	☐
5.46	Short Cervix at the Anomaly Scan	SPT	☐	☐
5.47	Single Twin Death at 24 Weeks in a Dichorionic Pregnancy	SPT	☐	☐
5.48	Single Twin Death at 24 Weeks in a Monochorionic Pregnancy	SPT	☐	☐
5.49	Suspected Large-for-Gestational-Age Baby at 36 Weeks	SPT	☐	☐
5.50	Suspected Placenta Accreta Spectrum with Bladder Involvement at 24 Weeks	SDT	☐	☐
5.51	Trichorionic Triplet Pregnancy at 12 Weeks	SPT	☐	☐
5.52	Twin-to-Twin Transfusion Syndrome at 19 Weeks	SDT	☐	☐
5.53	Type 3 FGM in Pregnancy: Deinfibulation and Safeguarding	SDT	☐	☐
5.54	Unexplained Polyhydramnios at 36 Weeks	SPT	☐	☐
5.55	Vasa Praevia at 28 Weeks: Planning Care and Birth	SDT	☐	☐

KNOWLEDGE AREA 6 Maternal Medicine

32 stations

NO.	STATION	TYPE	PRACTISED	CONFIDENT
6.01	Breakthrough Seizures at 34 Weeks on Lamotrigine	SPT	☐	☐
6.02	Breast Cancer Diagnosed at 20 Weeks	SPT	☐	☐
6.03	Chronic Kidney Disease Stage 3a at 16 Weeks	SPT	☐	☐
6.04	Crohn's Disease Flare at 14 Weeks after Stopping Treatment	SDT	☐	☐
6.05	Debrief after Eclampsia and Future Pregnancy	SPT	☐	☐
6.06	Diabetic Ketoacidosis at 28 Weeks in Type 1 Diabetes	SDT	☐	☐
6.07	Epilepsy on Valproate: Pre-Pregnancy Counselling FREE SAMPLE	SPT	☐	☐
6.08	Fontan Circulation at 12 Weeks on Warfarin	SPT	☐	☐
6.09	Haemophilia A Carrier at 34 Weeks: Planning the Birth	SPT	☐	☐

© PIPADOR Revision · Free resource

NO.	STATION	TYPE	PRACTISED	CONFIDENT
6.10	Kidney Transplant: First Antenatal Visit	SPT	☐	☐
6.11	Lupus Nephritis Flare at 22 Weeks	SDT	☐	☐
6.12	Massive Pulmonary Embolism at 32 Weeks	SDT	☐	☐
6.13	Metallic Mitral Valve in Early Pregnancy	SDT	☐	☐
6.14	Multiple Sclerosis on Natalizumab in Early Pregnancy	SPT	☐	☐
6.15	Myasthenia Gravis in Pregnancy FREE SAMPLE	SDT	☐	☐
6.16	Peripartum Cardiomyopathy: Future Pregnancy	SDT	☐	☐
6.17	Phaeochromocytoma at 20 Weeks	SDT	☐	☐
6.18	Postpartum Thyroiditis: Thyrotoxic Phase	SPT	☐	☐
6.19	Pre-Pregnancy Counselling in Marfan Syndrome	SDT	☐	☐
6.20	Pregnancy after Roux-en-Y Gastric Bypass	SPT	☐	☐
6.21	Previous Unprovoked Pulmonary Embolism: Antenatal Plan	SPT	☐	☐
6.22	Prolactinoma (Macroadenoma) in Early Pregnancy	SPT	☐	☐
6.23	Pulmonary Arterial Hypertension at 16 Weeks	SPT	☐	☐
6.24	Rheumatoid Arthritis on Adalimumab in Pregnancy	SPT	☐	☐
6.25	Severe Intrahepatic Cholestasis of Pregnancy at 30 Weeks	SPT	☐	☐
6.26	Sheehan Syndrome after Major Haemorrhage	SDT	☐	☐
6.27	Sickle Cell Disease: Pre-Pregnancy Counselling	SDT	☐	☐
6.28	Spinal Cord Injury at T4: Antenatal Planning	SPT	☐	☐
6.29	Transfusion-Dependent Beta-Thalassaemia: Pre-Pregnancy	SDT	☐	☐
6.30	Type 1 Diabetes: Preconception Care	SPT	☐	☐
6.31	Type 3 von Willebrand Disease: Birth Planning at 34 Weeks	SPT	☐	☐
6.32	Worsening Asthma at 20 Weeks after Stopping Inhalers	SPT	☐	☐

KNOWLEDGE AREA 7 Management of Labour

35 stations

NO.	STATION	TYPE	PRACTISED	CONFIDENT
7.01	Anaesthetic Emergencies on the Labour Ward	SDT	☐	☐
7.02	Breech Presentation Diagnosed in Labour	SPT	☐	☐
7.03	Choosing a Place of Birth	SPT	☐	☐
7.04	Debrief after Emergency Caesarean for a Pathological CTG	SPT	☐	☐

© PIPADOR Revision · Free resource

NO.	STATION	TYPE	PRACTISED	CONFIDENT
7.05	Declining Continuous Fetal Monitoring	SPT	☐	☐
7.06	Delay in the First Stage of Labour	SDT	☐	☐
7.07	Delay in the Second Stage with an Epidural	SDT	☐	☐
7.08	Delays in the Induction of Labour Service	SDT	☐	☐
7.09	Eclampsia on the Labour Ward	SDT	☐	☐
7.10	Fetal Monitoring Governance on the Labour Ward FREE SAMPLE	SDT	☐	☐
7.11	Fever in Labour and Suspected Chorioamnionitis	SPT	☐	☐
7.12	Genital Lesions in Early Labour	SPT	☐	☐
7.13	Induction at 39 Weeks for a Woman Aged 41	SPT	☐	☐
7.14	Induction for a Suspected Large Baby at 38 Weeks	SPT	☐	☐
7.15	Induction of Labour after a Previous Caesarean	SPT	☐	☐
7.16	Induction of Labour at 41 Weeks	SPT	☐	☐
7.17	Intrapartum Care of Twins	SDT	☐	☐
7.18	Labour Analgesia on Opioid Substitution Therapy	SPT	☐	☐
7.19	Labour at the Threshold of Viability (23+5 Weeks)	SDT	☐	☐
7.20	Labour Care for a Woman with Sickle Cell Disease	SPT	☐	☐
7.21	Labour Care with a BMI of 52	SPT	☐	☐
7.22	Labour in a Woman with Epilepsy	SPT	☐	☐
7.23	Labour in Type 1 Diabetes FREE SAMPLE	SPT	☐	☐
7.24	Labour Plan for a Woman Living with HIV	SPT	☐	☐
7.25	Maternal Collapse in Labour	SDT	☐	☐
7.26	Oxytocin Infusion Error	SDT	☐	☐
7.27	Placental Abruption in Labour	SDT	☐	☐
7.28	Pre-eclampsia in Labour with an Epidural Request	SPT	☐	☐
7.29	Prelabour Rupture of Membranes at Term	SPT	☐	☐
7.30	Preterm Labour at 30 Weeks	SDT	☐	☐
7.31	Repeated Triage Attendances in the Latent Phase	SPT	☐	☐
7.32	Suspected Uterine Rupture in a VBAC Labour	SDT	☐	☐
7.33	Umbilical Cord Prolapse	SDT	☐	☐
7.34	Vaginal Birth after Caesarean in Early Labour	SPT	☐	☐

© PIPADOR Revision · Free resource

NO.	STATION	TYPE	PRACTISED	CONFIDENT
7.35	Water Birth Safety and Emergencies	SDT	☐	☐

KNOWLEDGE AREA 8 Management of Delivery

21 stations

NO.	STATION	TYPE	PRACTISED	CONFIDENT
8.01	Assisted Vaginal Breech Birth: Extended Arms and Head Entrapment	SDT	☐	☐
8.02	Birth Plan: Deferred Cord Clamping and a Physiological Third Stage	SPT	☐	☐
8.03	Bladder Injury at Caesarean: Duty of Candour	SPT	☐	☐
8.04	Complaint Resolution Meeting after Sequential Instruments FREE SAMPLE	SPT	☐	☐
8.05	Consent for a Rotational Assisted Birth in Theatre	SPT	☐	☐
8.06	Consent for Caesarean Birth at Full Dilatation	SPT	☐	☐
8.07	Debrief after an Unplanned General Anaesthetic Caesarean	SPT	☐	☐
8.08	Delivery of the Second Twin	SDT	☐	☐
8.09	Impacted Fetal Head at Caesarean Birth	SDT	☐	☐
8.10	Next Birth after a Second-stage Caesarean with Uterine Extension	SPT	☐	☐
8.11	Next Birth after a Third-degree Tear	SPT	☐	☐
8.12	Obstetric Anal Sphincter Injury: Recognition, Repair and Governance	SDT	☐	☐
8.13	Occipito-posterior Position at Full Dilatation	SDT	☐	☐
8.14	Patient Safety Incident Investigation (PSIRF): Retained Vaginal Swab after Perineal Repair FREE SAMPLE	SDT	☐	☐
8.15	Pregnancy after Shoulder Dystocia with Brachial Plexus Injury	SPT	☐	☐
8.16	Request for Caesarean Birth: Fear of Childbirth	SPT	☐	☐
8.17	Request for Sterilisation at Caesarean Birth	SPT	☐	☐
8.18	Retained Placenta and Acute Uterine Inversion	SDT	☐	☐
8.19	Shoulder Dystocia	SDT	☐	☐
8.20	Teaching Impacted Fetal Head Management	SPT	☐	☐
8.21	Type 3 FGM in Early Labour: Deinfibulation and Legal Duties	SPT	☐	☐

KNOWLEDGE AREA 9 Postpartum Problems

19 stations

NO.	STATION	TYPE	PRACTISED	CONFIDENT
9.01	Bipolar Disorder on Day 3: Early Signs of Postpartum Psychosis	SPT	☐	☐
9.02	Breast Lump while Breastfeeding	SPT	☐	☐

© PIPADOR Revision · Free resource

NO.	STATION	TYPE	PRACTISED	CONFIDENT
9.03	Complaint Meeting after Readmission with Group A Streptococcal Sepsis	SPT	☐	☐
9.04	Contraception after Birth in a Breastfeeding Woman	SPT	☐	☐
9.05	Debrief after Major PPH and Peripartum Hysterectomy	SPT	☐	☐
9.06	Deep Vein Thrombosis after Birth	SPT	☐	☐
9.07	Follow-up after Stillbirth: Results and the Next Pregnancy	SPT	☐	☐
9.08	Genital Tract Trauma: Vulvovaginal Haematoma and Cervical Tear	SDT	☐	☐
9.09	Major Obstetric Haemorrhage	SDT	☐	☐
9.10	Medicines and Breastfeeding	SDT	☐	☐
9.11	Newborn Resuscitation at Birth	SDT	☐	☐
9.12	Postnatal Headache after an Epidural FREE SAMPLE	SPT	☐	☐
9.13	Postnatal Review after Severe Pre-eclampsia	SPT	☐	☐
9.14	Postpartum Sepsis	SDT	☐	☐
9.15	Postpartum Urinary Retention FREE SAMPLE	SDT	☐	☐
9.16	PSIRF Investigation: Stroke after Discharge with Uncontrolled Postnatal Hypertension	SDT	☐	☐
9.17	Secondary Postpartum Haemorrhage on Day 10	SPT	☐	☐
9.18	Sudden Collapse on the Postnatal Ward	SDT	☐	☐
9.19	Talking to Parents about Therapeutic Cooling for HIE	SPT	☐	☐

KNOWLEDGE AREA 10 Gynaecological Problems

33 stations

NO.	STATION	TYPE	PRACTISED	CONFIDENT
10.01	Absent Periods after Postpartum Surgery: Asherman's Syndrome	SPT	☐	☐
10.02	Bone Health on Long-Term GnRH Analogue Treatment	SDT	☐	☐
10.03	Breaking News: Premature Ovarian Insufficiency	SPT	☐	☐
10.04	Chronic Pelvic Pain with a Normal Laparoscopy	SPT	☐	☐
10.05	Complex Adnexal Mass in a Postmenopausal Woman	SDT	☐	☐
10.06	Complex Ovarian Cyst in a Young Woman	SDT	☐	☐
10.07	Consent for Endometrial Ablation	SPT	☐	☐
10.08	Consent for Laparoscopic Hysterectomy: a Patient Who Declines Blood	SPT	☐	☐
10.09	Delayed Puberty: Turner Syndrome Mosaicism	SPT	☐	☐
10.10	Early Breast Development in a 7-Year-Old	SPT	☐	☐

© PIPADOR Revision · Free resource

NO.	STATION	TYPE	PRACTISED	CONFIDENT
10.11	Endometrial Hyperplasia without Atypia	SDT	☐	☐
10.12	Haematocolpos: a Teenager and Her Mother FREE SAMPLE	SPT	☐	☐
10.13	Heavy Menstrual Bleeding with a Fibroid: Request for Hysterectomy	SPT	☐	☐
10.14	Hyperprolactinaemia: Drug-induced or Prolactinoma?	SDT	☐	☐
10.15	Low Libido after Surgical Menopause: Request for Testosterone	SPT	☐	☐
10.16	Menopausal Symptoms after Breast Cancer	SPT	☐	☐
10.17	MRKH Syndrome: Explaining the Diagnosis	SPT	☐	☐
10.18	Painful Sex: Provoked Vestibulodynia	SPT	☐	☐
10.19	Postcoital Bleeding in an Anxious Young Woman	SPT	☐	☐
10.20	Postmenopausal Bleeding Pathway: Missed Result and Audit	SDT	☐	☐
10.21	Prioritising the Gynaecology Emergency Board FREE SAMPLE	SDT	☐	☐
10.22	Rapidly Progressing Hirsutism and Virilisation	SPT	☐	☐
10.23	Recurrent Bartholin's Abscess in a Woman over 40	SPT	☐	☐
10.24	Recurrent Vaginal Discharge: Bacterial Vaginosis and Thrush	SPT	☐	☐
10.25	Severe Premenstrual Syndrome: "Take Everything Out"	SPT	☐	☐
10.26	Starting HRT: Migraine with Aura and a Family History of VTE	SPT	☐	☐
10.27	Suspected Endometriosis with Normal Imaging: an Angry Patient	SPT	☐	☐
10.28	Suspected Ovarian Torsion in a 13-Year-Old	SDT	☐	☐
10.29	Suspected PCOS in an Adolescent	SPT	☐	☐
10.30	Teaching a Junior: Investigating Secondary Amenorrhoea	SPT	☐	☐
10.31	Triage of Gynaecology Referral Letters	SDT	☐	☐
10.32	Unscheduled Bleeding on HRT	SPT	☐	☐
10.33	Vulval Lichen Sclerosus Not Responding to Treatment	SPT	☐	☐

KNOWLEDGE AREA 11 Subfertility

19 stations

NO.	STATION	TYPE	PRACTISED	CONFIDENT
11.01	Elective Egg Freezing	SPT	☐	☐
11.02	Gamete Donation	SDT	☐	☐
11.03	In Vitro Fertilisation (IVF)	SDT	☐	☐
11.04	Intracytoplasmic Sperm Injection (ICSI)	SDT	☐	☐

© PIPADOR Revision · Free resource

NO.	STATION	TYPE	PRACTISED	CONFIDENT
11.05	Male Factor Subfertility: Anabolic Steroid-Induced Azoospermia	SPT	☐	☐
11.06	Male Factor Subfertility: Varicocele FREE SAMPLE	SPT	☐	☐
11.07	Obstructive Azoospermia	SDT	☐	☐
11.08	Ovarian Hyperstimulation Syndrome (OHSS)	SDT	☐	☐
11.09	Ovulation Induction FREE SAMPLE	SDT	☐	☐
11.10	Request for Reversal of Female Sterilisation	SPT	☐	☐
11.11	Subclinical Hypothyroidism and Subfertility	SPT	☐	☐
11.12	Subfertility with Endometriosis: Surgery or IVF?	SPT	☐	☐
11.13	Subfertility: Hyperprolactinaemia	SPT	☐	☐
11.14	Subfertility: Hypogonadotropic Hypogonadism	SPT	☐	☐
11.15	Subfertility: Male Factor	SPT	☐	☐
11.16	Subfertility: Polycystic Ovary Syndrome (PCOS)	SPT	☐	☐
11.17	Subfertility: Premature Ovarian Insufficiency (POI)	SPT	☐	☐
11.18	Subfertility: Tubal Factor	SPT	☐	☐
11.19	Surrogacy in the United Kingdom	SDT	☐	☐

KNOWLEDGE AREA 12 Sexual and Reproductive Health

40 stations

NO.	STATION	TYPE	PRACTISED	CONFIDENT
12.01	Abortion Law and Late Presentation	SDT	☐	☐
12.02	Abortion Request for a Woman with a Learning Disability	SPT	☐	☐
12.03	Abortion Request for Fetal Sex	SPT	☐	☐
12.04	Abortion Request from an Asylum Seeker	SPT	☐	☐
12.05	Complications after Early Medical Abortion	SDT	☐	☐
12.06	Conception in a Serodiscordant Couple	SPT	☐	☐
12.07	Consent for Early Medical Abortion at Home	SPT	☐	☐
12.08	Consent for Surgical Abortion at 16 Weeks	SPT	☐	☐
12.09	Contraception after Bariatric Surgery	SPT	☐	☐
12.10	Contraception after Breast Cancer with a BRCA1 Variant FREE SAMPLE	SPT	☐	☐
12.11	Contraception and Safeguarding in a 14-Year-Old	SDT	☐	☐
12.12	Contraception and Screening for a Trans Man on Testosterone	SPT	☐	☐

© PIPADOR Revision · Free resource

NO.	STATION	TYPE	PRACTISED	CONFIDENT
12.13	Contraception at 49: When to Stop	SPT	☐	☐
12.14	Contraception for a Woman Starting Isotretinoin	SPT	☐	☐
12.15	Contraception for a Woman Taking Valproate	SPT	☐	☐
12.16	Contraception in a Woman with a Fontan Circulation	SPT	☐	☐
12.17	Contraception in Women with Medical Conditions (UKMEC 2025)	SDT	☐	☐
12.18	Contraception Six Weeks after Birth	SPT	☐	☐
12.19	Disclosure of Rape 60 Hours Earlier	SPT	☐	☐
12.20	Emergency Contraception in a 15-Year-Old	SPT	☐	☐
12.21	Female Genital Mutilation Found at Coil Fitting	SPT	☐	☐
12.22	Giving a New Diagnosis of HIV	SPT	☐	☐
12.23	HIV-positive Partner Refusing to Tell a Pregnant Woman	SDT	☐	☐
12.24	Long Waits for Long-acting Reversible Contraception	SDT	☐	☐
12.25	Non-palpable Contraceptive Implant	SPT	☐	☐
12.26	Painful Sex after Childbirth	SPT	☐	☐
12.27	Pregnancy after Sterilisation: Failed Sterilisation Claim	SDT	☐	☐
12.28	Pregnancy with a Copper IUD in Situ FREE SAMPLE	SDT	☐	☐
12.29	Problematic Bleeding with the Implant	SPT	☐	☐
12.30	Recurrent Chlamydia in a Sex Worker	SPT	☐	☐
12.31	Recurrent Genital Herpes and a New Pregnancy	SPT	☐	☐
12.32	Request for Female Sterilisation at 27	SPT	☐	☐
12.33	Request for Hysterectomy in a Teenager with Profound Disability	SDT	☐	☐
12.34	Request for Reversal of Sterilisation	SPT	☐	☐
12.35	Rising STIs in a Young People's Service	SDT	☐	☐
12.36	Self-managed Abortion at 22 Weeks	SDT	☐	☐
12.37	Third Abortion Request in Two Years	SPT	☐	☐
12.38	Unplanned Pregnancy: Decision Counselling	SPT	☐	☐
12.39	Uterine Perforation during Manual Vacuum Aspiration	SDT	☐	☐
12.40	Vaginismus in a Newly Married Woman	SPT	☐	☐

© PIPADOR Revision · Free resource

KNOWLEDGE AREA 13 Early Pregnancy Care

19 stations

NO.	STATION	TYPE	PRACTISED	CONFIDENT
13.01	Diagnosis and Management of Caesarean Scar Ectopic Pregnancy	SPT	☐	☐
13.02	Diagnosis and Management of Cervical Ectopic Pregnancy	SPT	☐	☐
13.03	Early Abdominal Pregnancy: Diagnosis and Management	SDT	☐	☐
13.04	Heterotopic Pregnancy After IVF Treatment FREE SAMPLE	SPT	☐	☐
13.05	Hyperemesis Gravidarum: Diagnosis and Management	SDT	☐	☐
13.06	Live Tubal Ectopic Pregnancy: Diagnosis and Management	SDT	☐	☐
13.07	Missed Miscarriage: Management Options and MVA Request	SPT	☐	☐
13.08	Ovarian Ectopic Pregnancy	SPT	☐	☐
13.09	Postoperative Diagnosis of Complete Molar Pregnancy	SPT	☐	☐
13.10	Postoperative Diagnosis of Partial Molar Pregnancy	SPT	☐	☐
13.11	Pregnancy of Unknown Location with Rising hCG	SPT	☐	☐
13.12	Recurrent Miscarriage: Antiphospholipid Antibodies Found FREE SAMPLE	SDT	☐	☐
13.13	Recurrent Miscarriage: Balanced Parental Translocation	SPT	☐	☐
13.14	Recurrent Miscarriage: No Cause Found But Incomplete Investigation	SPT	☐	☐
13.15	Refractory Hyperemesis Gravidarum: Requesting Termination of Pregnancy Without Having Tried Steroids	SPT	☐	☐
13.16	Retained Products of Conception (RPOC) After Surgical Management of Miscarriage: Angry Patient	SPT	☐	☐
13.17	Severe Ovarian Hyperstimulation Syndrome: Diagnosis and Management	SDT	☐	☐
13.18	Suspected Gestational Trophoblastic Disease After Live Term Birth	SDT	☐	☐
13.19	Suspected Molar Pregnancy with Coexisting Live Twin	SPT	☐	☐

KNOWLEDGE AREA 14 Gynaecological Oncology

18 stations

NO.	STATION	TYPE	PRACTISED	CONFIDENT
14.01	Colposcopy During Pregnancy	SDT	☐	☐
14.02	Diagnosis and Management of Vulval Intraepithelial Neoplasia	SDT	☐	☐
14.03	Endometrial Hyperplasia with Atypia: Diagnosis and Fertility-Sparing Management	SPT	☐	☐
14.04	Management of CGIN (Cervical Glandular Intraepithelial Neoplasia) FREE SAMPLE	SPT	☐	☐
14.05	Management of CIN1	SPT	☐	☐

© PIPADOR Revision · Free resource

NO.	STATION	TYPE	PRACTISED	CONFIDENT
14.06	Management of CIN3 (Cervical Intraepithelial Neoplasia Grade 3)	SDT	☐	☐
14.07	Paraneoplastic Syndromes in Gynaecological Cancers	SDT	☐	☐
14.08	Postoperative Diagnosis of Borderline Ovarian Tumour and Further Management	SPT	☐	☐
14.09	Risk-Reducing Bilateral Salpingo-Oophorectomy: Counselling for a BRCA1 Mutation Carrier	SPT	☐	☐
14.10	Risk-Reduction Surgery Counselling for a Patient with Lynch Syndrome (MSH2 Mutation)	SPT	☐	☐
14.11	Severe Menopausal Symptoms After Stage 1 Endometrial Cancer Treatment	SPT	☐	☐
14.12	Stage 1A1 Cervical Cancer: Diagnosis and Fertility-Sparing Management	SPT	☐	☐
14.13	Stage 2 Cervical Cancer: Diagnosis, Staging and Management	SPT	☐	☐
14.14	Stage 3 Endometrial Cancer: Diagnosis and Management	SPT	☐	☐
14.15	Stage 4 Ovarian Cancer: Diagnosis and Management	SPT	☐	☐
14.16	Suspected Ovarian Germ Cell Tumour in a 15-Year-Old: Consultation with Parent	SPT	☐	☐
14.17	Vulval Cancer: Staging and Management	SDT	☐	☐
14.18	Vulval Melanoma: Diagnosis and Management FREE SAMPLE	SDT	☐	☐

KNOWLEDGE AREA 15 Urogynaecology and Pelvic Floor Problems — 19 stations

NO.	STATION	TYPE	PRACTISED	CONFIDENT
15.01	Bladder Pain Syndrome: Initial Assessment and Management	SPT	☐	☐
15.02	Bladder Symptoms with Undisclosed Recreational Ketamine Use FREE SAMPLE	SPT	☐	☐
15.03	Diagnosis and Management of Urethral Caruncle	SDT	☐	☐
15.04	Fowler's Syndrome: Assessment and Management	SDT	☐	☐
15.05	Grade 1-2 Pelvic Organ Prolapse with Very High BMI: Diagnosis, Conservative Management and Staged Surgical Planning	SDT	☐	☐
15.06	Initial Assessment and Management of Possible Neurogenic Bladder	SPT	☐	☐
15.07	Overactive Bladder (OAB): First Presentation and Conservative Management	SPT	☐	☐
15.08	Pessaries for Pelvic Organ Prolapse	SDT	☐	☐
15.09	Post-Hysterectomy Vault Prolapse: Conservative Management in a Woman Unfit for Surgery	SPT	☐	☐
15.10	Rectovaginal Fistula After an Unrecognised Rectal Buttonhole Tear	SPT	☐	☐
15.11	Recurrent Urinary Tract Infections in Women	SPT	☐	☐

© PIPADOR Revision · Free resource

NO.	STATION	TYPE	PRACTISED	CONFIDENT
15.12	Refractory Urgency Urinary Incontinence: Options After Failed Drug Treatment	SPT	☐	☐
15.13	Surgical Management of Stress Urinary Incontinence FREE SAMPLE	SDT	☐	☐
15.14	Surgical Management Options for Grade 3 Cystocele	SDT	☐	☐
15.15	Surgical Management Options for Grade 3 Rectocele	SDT	☐	☐
15.16	Suspected Vesicovaginal Fistula Following Pelvic Radiotherapy	SPT	☐	☐
15.17	Teaching a Junior Colleague to Examine and Fit a Vaginal Pessary for Pelvic Organ Prolapse	SPT	☐	☐
15.18	Urethral Diverticulum in Women	SDT	☐	☐
15.19	Voiding Dysfunction Following Stress Urinary Incontinence Surgery	SPT	☐	☐

© PIPADOR Revision · Free resource

PIPADOR REVISION

Practise every station in full

All 382 stations are included in the

PIPADOR MRCOG Part 3 Course

EACH STATION INCLUDES

- Candidate's instructions
- Simulated patient directions or examiner's instructions
- Examiner's mark sheet with standard setting
- Props
- RCOG instructions: modules, domains and links
- Key knowledge points with sources

Not sure yet? Try before you buy.
Download the free sample e-Book: 28 full stations, one SPT and one SDT from each knowledge area.

PIPADOR.co.uk

© PIPADOR.co.uk